

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	11	("4525713" "5434775" "5689238" "5774876" "5963134" "5971592" "6304881" "6094642" "6148291" "6286762" "6286763").PN.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/25 17:14
S1	1	"20040024644".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/11 18:21
S2	16899	(sensing near (apparatus device)).ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 15:04
S3	0	((sensing near (apparatus device)) and tranceiver).ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 15:04
S4	52	((sensing near (apparatus device)) and transceiver).ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 15:04
S5	835	((exchang\$3 near (information data)) and wireless\$2).ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 15:42
S6	152	(network\$3 same database and (network near3 controller)).ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/03/13 15:45
S7	16	("20020097282" "20030023517" "20030101108" "4525713" "5689238" "5434775" "5774876" "5963134" "5971592" "6148291" "6286762" "6529910" "6587836" "6094642" "6148291" "6286762" "6286763" "6304881").PN.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/06 17:12
S8	1	"20040024644".pn. and (intelligent near sensing)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/07 17:18

S9	3647	(inventory asset) near3 (tag sens\$3 ID)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/07 17:32
S10	274	((inventory asset) near3 (tag sens\$3 ID)).ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/07 17:32
S11	121	S10 and (@ad<="20020805" OR @pd<="20020805" OR @prad<="20020805" OR @rlad<="20020805")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/07 17:33
S12	1	"20030227382".pn. and (ID identification unique)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/14 15:11
S13	1	"20030227382".pn. and (server database)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/14 15:23
S14	1	"20030227382".pn. and (interrogation scan\$3 device data information)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/14 15:43
S15	11	(US-20070164858-\$ or US-20030023517-\$ or US-20080088441-\$ or US-20060238307-\$ or US-20060077040-\$ or US-20050174235-\$ or US-20050027604-\$ or US-20040174260-\$ or US-20040034581-\$ or US-20030233287-\$ or US-20030227382-\$).did.	US-PGPUB	OR	ON	2008/05/14 15:56
S16	8	S15 and (interrogat\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/14 15:57
S17	70	(remote\$2 near3 interrogat\$3) and (asset near (track\$3 tag\$4 sensor))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/15 12:19
S18	42	S17 and (@ad<="20020805" OR @pd<="20020805" OR @prad<="20020805" OR @rlad<="20020805")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/15 12:19
S19	1	"20040024644".pn. and ((remote near client) and interrogat\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/15 12:22

S20	1	"20030227382".pn. and (portable phone pda)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/15 12:45
S21	1	"20030227382".pn. and (port)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/15 13:20
S22	1	"20030227382".pn. and (port same interrogat\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/15 13:20
S23	1	"20030227382".pn. and processor	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/16 18:04
S24	1	"20030227382".pn. and (sensor)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 13:35
S25	0	"20030227382".pn. and (processor with power)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 13:41
S26	1	"20030227382".pn. and (processor same power)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 13:41
S27	1	"20030227382".pn. and (power \$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 13:49
S28	1	"20030227382".pn. and (antenna \$1)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 13:53
S29	1	"20030227382".pn. and (antenna \$1 transceiver)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 13:54
S30	0	"20030227382".pn. and ((hand \$1held portable pda phone) with RFID)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 14:20
S31	1	"20030227382".pn. and (hand \$1held portable pda phone)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 14:20
S32	1	"20030227382".pn. and (RFID)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 14:20

S33	1	"20030227382".pn. and (webpage web Internet)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 15:31
S34	146	(web near3 application) same (LDAP and (login authenticat\$3 logon))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 16:18
S35	74	S34 and (@ad<="20020805" OR @pd<="20020805" OR @prad<="20020805" OR @rlad<="20020805")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 16:19
S36	37	S35 and (asset inventory)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 16:31
S37	1	"20070220015".pn. and (web near page)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 16:49
S38	83324	((web near3 (application page)) same (LDAP and (login authenticat\$3 logon))) (web near page)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 16:52
S39	247	((web near3 (application page)) same (LDAP and (login authenticat\$3 logon)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 16:52
S40	186	S39 and (web near page)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 16:52
S41	53	S40 and (asset inventory)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 16:52
S42	38	S41 and (@ad<="20020805" OR @pd<="20020805" OR @prad<="20020805" OR @rlad<="20020805")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 16:53
S43	474	((asset inventory) near (track\$3 monitor\$3)).ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 17:27
S44	254	S43 and (@ad<="20020805" OR @pd<="20020805" OR @prad<="20020805" OR @rlad<="20020805")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 17:28
S45	46	S44 and ((web near page) login log\$1in authenticat\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 17:29

S46	13	S44 and ((web near page) and (login log\$1in authenticat\$3 username password))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 17:45
S47	8735	((asset inventory) near (track\$3 monitor\$3)) RFID (radio near frequency near identification)). ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 17:59
S48	205	S43 and (@ad<="20020805" OR @pd<="20020805" OR @prad<="20020805")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 18:00
S49	11	S48 and ((web near page) and (login log\$1in authenticat\$3 username password))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 18:00
S50	13	S46 and (@ad<="20020805" OR @pd<="20020805" OR @prad<="20020805" OR @rlad<="20020805")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 18:02
S51	2022	S47 and (@ad<="20020805" OR @pd<="20020805" OR @prad<="20020805" OR @rlad<="20020805")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 18:02
S52	55	S51 and ((web near page) and (login log\$1in authenticat\$3 username password))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 18:03
S53	0	"699538".pn. and (asset track\$3 web page login authenticat\$3 username password)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 18:05
S54	1	"6996538".pn. and (asset track\$3 web page login authenticat\$3 username password)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/20 18:05
S55	1	"20030227382".pn. and (modif\$7 edit\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/21 16:12
S56	1954	((cell near phone) pda phone) with (RFID (radio near frequency near identification))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 15:24
S57	511	S56 and (@ad<="20020805" OR @pd<="20020805" OR @prad<="20020805" OR @rlad<="20020805")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 15:25
S58	102	((cell near phone) pda phone) with (RFID (radio near frequency near identification))). ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 15:27

S59	11	S58 and (@ad<="20020805" OR @pd<="20020805" OR @prad<="20020805" OR @rlad<="20020805")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 15:27
S60	1	"20030120745".pn. and (software instruction)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 15:38
S61	1	"20030120745".pn. and (detect \$3 range presence)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 15:38
S62	1	"20030227382".pn. and (sensor environment\$2 operat\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 16:43
S63	1	"20030120745".pn. and (range)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 16:53
S64	1	"20030120745".pn. and (select \$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 17:02
S65	214	((detect\$3 sens\$3 interrogat\$3) near4 (RFID (radio near frequency near identification))) and (proximity presence range)).ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 11:29
S66	47	S65 and (@ad<="20020805" OR @pd<="20020805" OR @prad<="20020805" OR @rlad<="20020805")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 11:30
S67	1632	(RFID (radio near frequency near identification)) and (determin\$3 near3 (range proximity)).ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 11:33
S68	23	((RFID (radio near frequency near identification)) and (determin\$3 near3 (range proximity))).ab.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 11:33
S69	7	S68 and (@ad<="20020805" OR @pd<="20020805" OR @prad<="20020805" OR @rlad<="20020805")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 11:33
S70	1	"20030120745".pn. and (graphic \$2 display)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 13:07

S71	1	"20030120745".pn. and (verif\$ \$7 compar\$3)	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 13:52
S72	1	"20030120745".pn. and (location description)	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 14:01
S73	15	(confirm\$3 with (asset item) with (received reception)) same RFID	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 15:05
S74	11	S73 and (@ad<="20020805" OR @pd<="20020805" OR @prad<="20020805" OR @rlad<="20020805")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 15:05
S75	30	((confirm\$3 verif\$7) with (asset item) with (received reception)) same RFID	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 15:08
S76	14	S75 and (@ad<="20020805" OR @pd<="20020805" OR @prad<="20020805" OR @rlad<="20020805")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 15:08
S77	0	"20040243620".pn. and exception	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 15:08
S78	2363	((verif\$7 confirm\$5) same (asset item container shipment product package) same (receiv\$2 reception)) and exception	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 15:10
S79	1615	S78 and (@ad<="20020805" OR @pd<="20020805" OR @prad<="20020805" OR @rlad<="20020805")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 15:11
S80	596	((verif\$7 confirm\$5) with (asset item container shipment product package) with (receiv\$2 reception)) and exception	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 15:12
S81	383	S80 and (@ad<="20020805" OR @pd<="20020805" OR @prad<="20020805" OR @rlad<="20020805")	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 15:13
S82	67	((verif\$7 confirm\$5) with (asset item container shipment product package) with (receiv\$2 reception)) and exception and (RFID (radio near frequency near identification))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 15:13

S83	19	S82 and (@ad<="20020805" OR @pd<="20020805" OR @prad<="20020805" OR @rlad<="20020805")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 15:14
S84	1	"20030227382".pn. and (environment\$2 condition)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 15:35

5/ 25/ 2008 5:46:00 PM

C:\Documents and Settings\jshin1\My Documents\EAST\Workspaces\10065865.wsp